

AUTHOR INDEX

- Barbat, J., 115
Beau, J.-M., 71
Bellosta, V., 1
Brade, H., 247
Browder, I. W., 203
- Chassagnard, C., 1
Ciunik, Z., 9
Cunningham, D., 229
Czernecki, S., 1
- Depew, W. T., 33, 51
Di Luzio, N. R., 203
- Ensley, H. E., 203
Estrada de Oya, M. D., 215
- Fernandez, P. T., 241
Fry, S. C., 123
- Galbis Perez, J. A., 241
Gauffeny, F., 237
Gelas, J., 115
- Hackland, P. L., 193
Hay, G. W., 33, 51
Hirano, M., 173
Holst, O., 247
Horton, D., 115
Hronowski, L. J. J., 33, 51
- Ishii, T., 15
Ison, E. R., 51
- Jacquinet, J.-C., 71
Jones, E. L., 203
- Kawamura, H., 149
Kiyohara, H., 149, 173
Knirel, Yu. A., c1
Kochetkov, N. K., c1
Krebs, A., 33, 51
Kuzuhara, H., 133
- Lee, E., 229
Lelièvre, J., 23
Liu, H., 23
Lopez-Castro, A., 215, 223
- Manley-Harris, M., 101
Marra, A., 237
Martinez, M. B., 241
McArdle, P., 229
McDougall, G. J., 123
McNamee, R. B., 203
Melody, N., 229
Millan, M. J. D., 223
- Parolis, H., 193
Parolis, L. A. S., 193
Perez-Garrido, S., 223
Pretus, H. A., 203
- Richards, G. N., 91, 101
Rio, S., 71
- Sakairi, N., 133
Shashkov, A. S., c1
Shi Shun, L. K., 237
Sidorczyk, Z., c1
Sinaý, P., 237
Smiatecz, Z., 9
Stevenson, T. T., 91
Swierzko, A., c1
Szarek, W. A., 33, 51
Szweda, R., 9
- Tabeur, C., 237
Takemoto, N., 149
- VanDenburg, J., 91
Vinogradov, E. V., c1
- Wang, L.-X., 133
Williams, D. L., 203
- Yamada, H., 149, 173
- Zhao, J.-F., 149



SUBJECT INDEX

- N*-Acetylhyalobiuronic acid, peracetylated laminaribiose by specific degradation of curdlan and its conversion into, 133
- Bamboo shoot cell-walls, isolation and characterization of diferuloylarabinoxylan hexasaccharide from, 15
- Bupleurum falcatum* L., partial structure of an anti-ulcer pectic polysaccharide from the roots of, 173
- Capsular antigen of *E. coli* O9:K38, identification as a ribofuranose-containing glycan, 193
- Carbohydrate-protein linkage region of proteoglycans, synthesis of glycopeptides from the, 71
- Crystal and molecular structure of *N*-(2,2-diethoxycarbonylvinyl)- α -D-ribofuranosylamine, 223
- Crystal and molecular structure of 1,4-dimethyl-3-(D-galacto-pentitol-1-yl)-5-(*p*-tolyl)pyrazole, 215
- Crystal structure of ethyl 3,4,6-tri-*O*-acetyl-2-deoxy-hydroxyimino- α -D-*arabino*-hexopyranoside, 9
- Curdlan, preparation of peracetylated laminaribiose by specific degradation of; its chemical conversion into *N*-acetylhyalobiuronic acid, 133
- 2-Deoxy- β -D-*arabino*-hexopyranoside and methyl 4,6-*O*-benzylidene-3-deoxy- α -D-*arabino*-hexopyranoside, X-ray structure of methyl 3,4,6-tri-*O*-acetyl, 229
- Deoxyhexopyranosides, n.m.r. studies of some, 229
- 1,2-Diamino-1,2-dideoxy-D-*glycero*-L-*manno*- and D-*glycero*-L-*gluco*-heptitol, synthesis of, 241
- N*-(2,2-Diethoxycarbonylvinyl)- α -D-ribofuranosylamine, crystal and molecular structure of, 223
- Diferuloylarabinoxylan hexasaccharide from bamboo shoot cell-walls, isolation and characterization of, 15
- Differential scanning calorimetry study of glass and melting transitions in starch suspensions and gels, 23
- 2,6-Di-*O*- β -lactosyl- α , β -D-mannopyranoses and 6-*O*- β -lactosyl- α , β -D-mannopyranoses, synthesis and characterization of, 51
- 1,4-Dimethyl-3-(D-galacto-pentitol-1-yl)-5-(*p*-tolyl)pyrazole, crystal and molecular structure of, 215
- E. coli* O9:K38 capsular antigen: another ribofuranose-containing glycan, 193
- Ethyl 3,4,6-tri-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-*arabino*-hexopyranoside, crystal structure of, 9
- Formation of trisaccharides (kestoses) by pyrolysis of sucrose, 101
- Glass and melting transitions in starch suspensions and gels, differential scanning calorimetry study, 23
- (1 \rightarrow 3)- β -D-Glucan isolated from *Saccharomyces cerevisiae*, a method for the solubilization of a, 203
- D-Gluc- and -manno-pyranosylarenes, structural studies by ^1H - and ^{13}C -n.m.r. spectroscopy and circular dichroism of acetylated α - and β -, 1
- Glucofuranose derivatives, thermal polymerization of some, 91
- Glycerol, synthesis and characterization of mono-, di-, and tri-lactosyl derivatives of, 33
- Glycopeptides from the carbohydrate-protein linkage region of proteoglycans, synthesis of, 71
- Glycopyranosylarenes, a re-examination of structural assignments by modern spectroscopic methods, 1
- Glycyrrhizia uralensis* Fisch *et* D.C., heterogeneity and characterisation of mitogenic and anti-complementary pectic polysaccharides from the roots of, 149
- Heptitol, synthesis of 1,2-diamino-1,2-dideoxy-D-*glycero*-L-*manno*- and -D-*glycero*-L-*gluco*-, 241
- Heterogeneity and characterisation of mitogenic and anti-complementary pectic polysaccharides from the roots of *Glycyrrhizia uralensis* Fisch *et* D.C., 149
- 2-Hydroxyimino- α -D-*arabino*-hexopyranoside, crystal structure of ethyl 3,4,6-tri-*O*-acetyl-2-deoxy-, 9
- Isolation and characterization of diferuloylarabinoxylan hexasaccharide from bamboo shoot cell-walls, 15
- Kestoses by pyrolysis of sucrose, formation of trisaccharides, 101

- 2-*O*- β -Lactosylglycerol, 1,2-di-*O*- β -lactosyl-(*R*, *S*)-glycerols, and 1,2,3-tri-*O*- β -lactosylglycerol, synthesis and characterization of, 33
- 6-*O*- β -Lactosyl- α , β -D-mannopyranoses and 2,6-di-*O*- β -lactosyl- α , β -D-mannopyranoses, synthesis and characterization of, 51
- Laminaribiose, peracetylated: preparation by specific degradation of curdlan and its chemical conversion into *N*-acetylhyalobiuronic acid, 133
- Lipopolysaccharide from *Salmonella minnesota* strain R7 (rough mutant chemotype Rd₁), structural studies of the core region of the, 247
- D-Lyxose and D-xylose, reactions with 2-methoxypropene under kinetic conditions, 115
- 2-Methoxypropene, reactions with D-lyxose and D-xylose under kinetic conditions, 115
- Nitrate group at the anomeric position, a novel and convenient method for the removal of a, 237
- Novel and convenient method for the removal of a nitrate group at the anomeric position, 237
- Oligosaccharides, purification and analysis by high-pressure liquid chromatography of growth-regulating xyloglucan-derived, 123
- Pectic polysaccharides from the roots of *Glycyrrhiza uralensis* Fisch et D.C., heterogeneity and characterisation of mitogenic and anti-complementary, 149
- Polymerization of some glucofuranose derivatives, thermal, 91
- Polysaccharide containing D- and L-alanine, structure of *Proteus penneri* strain 14 O-specific, c1
- Polysaccharide from the roots of *Bupleurum falcatum* L., partial structure of an anti-ulcer pectic, 173
- Proteus penneri* strain 14 O-specific polysaccharide containing D- and L-alanine, structure of, c1
- Purification and analysis of growth-regulating xyloglucan-derived oligosaccharides by high-pressure liquid chromatography, 123
- Pyrazole, crystal and molecular structure of 1,4-dimethyl-3-(D-galacto-pentitol-1-yl)-5-(*p*-tolyl)-, 215
- Pyrolysis of sucrose, formation of trisaccharides (kestoses) by, 101
- Removal of a nitrate group at the anomeric position, a novel and convenient method for the, 237
- Ribofuranose-containing glycan, identification of the *E. coli* O9:K38 capsular antigen as a, 193
- Ribofuranosylamine, crystal and molecular structure of *N*-(2,2-diethoxycarbonylvinyl)- α -D-, 223
- Saccharomyces cerevisiae*, a method for the solubilization of a (1 \rightarrow 3)- β -D-glucan isolated from, 203
- Salmonella minnesota* strain R7 (rough mutant chemotype Rd₁), structural studies of the core region of the lipopolysaccharide from, 247
- Starch suspensions and gels, a differential scanning calorimetry study of glass and melting transitions in, 23
- Structural studies by ¹H- and ¹³C-n.m.r. spectroscopy and circular dichroism of acetylated α - and β -D-glucosyl- and -mannopyranosylarenes, 1
- Structural studies of the core region of the lipopolysaccharide from *Salmonella minnesota* strain R7 (rough mutant chemotype Rd₁), 247
- Structure of an anti-ulcer pectic polysaccharide from the roots of *Bupleurum falcatum* L., partial, 173
- Structure of *Proteus penneri* strain 14 O-specific polysaccharide containing D- and L-alanine, c1
- Synthesis and characterization of 2-*O*- β -lactosylglycerol, 1,2-di-*O*- β -lactosyl-(*R*,*S*)-glycerols, and 1,2,3-tri-*O*- β -lactosylglycerol, 33
- Synthesis of 1,2-diamino-1,2-dideoxy-D-glycero-L-manno- and -D-glycero-L-glucosyl-heptitol, 241
- Synthesis of glycopeptides from the carbohydrate-protein linkage region of proteoglycans, 71
- Thermal polymerization of some glucofuranose derivatives, 91
- X-Ray structures of methyl 3,4,6-tri-*O*-acetyl-2-deoxy- β -D-arabino-hexopyranoside and methyl 4,6-*O*-benzylidene-3-deoxy- α -D-arabino-hexopyranoside, 229
- Xyloglucan-derived oligosaccharides, purification and analysis by high-pressure liquid chromatography of growth-regulating, 123

